



County of San Luis Obispo

COUNTY GOVERNMENT CENTER, RM. D430 • SAN LUIS OBISPO, CALIFORNIA 93408 • (805) 781-5011

Dan Buckshi
COUNTY ADMINISTRATOR

NEWS RELEASE

FROM: County Office of Emergency Services

CONTACT: Ron Alsop or Kelly Van Buren (805) 781-5011

FOR IMMEDIATE RELEASE

EARLY WARNING SYSTEM SIRENS Low Volume Growl Test – April 14 & 15, 2015

SAN LUIS OBISPO, CA, April 13, 2015 – On Tuesday and Wednesday April 14 and 15, 2015, the Early Warning System sirens located in the Diablo Canyon Emergency Planning Zone (EPZ) will undergo regularly scheduled low volume growl tests. Each of the 131 sirens throughout the EPZ will be tested individually for a period of a few seconds. This is only a test and no action is requested or required on the part of the public.

Although the Early Warning System sirens were installed and are maintained as one of the requirements related to the operation of the Diablo Canyon Power Plant, the sirens can be used for any local emergency where there is a need for the public to take action. This may include tsunami, dam failure, or other natural or man-made disaster. The actual sounding of the sirens is an indication that the Emergency Alert System has been activated and the public should tune to a local television or radio station for emergency information.

The Early Warning System sirens cover an area extending from Cayucos to the North to the Nipomo Mesa area to the South. This includes the northern Nipomo Mesa, the Five Cities Area, Avila Bay, See Canyon and Squire Canyon areas, Price Canyon area, Baywood Park/Los Osos, City of San Luis Obispo, Morro Bay and Cayucos areas.

Additional information on emergency preparedness can be found on the County Office of Emergency Services web site at <http://www.slocounty.ca.gov/oes>

Questions regarding the tests can be answered by the County Office of Emergency Services by calling (805) 781-5011.

###